


RCCS-2SC


TECHNICAL SPECIFICATIONS-DIMENSIONS RCCS-2SC

COMPONENT	HEIGHT	WIDTH	DEPTH
Base	5.0" (12.7 cm)	4.0" (10.2 cm)	8.0" (20.3 cm)
Power Supply	2.5" (6.35 cm)	5.0" (12.7 cm)	14.0" (5.5 cm)
COMPONENT	WEIGHT	ROTATIONAL SPEED	—
Base	2.4 lbs (1.13 Kg)	5-35 RPM	—
Power Supply	2.0 lbs (.94Kg)	—	—



RCCS-2SC POWER AND ENVIRONMENTAL SPECIFICATIONS

POWER	VOLTAGE	FREQUENCY
Power Supply Input	USA 120 VAC @ .25Amps OTHER 240 VAC @ .125Amps	50-60 Hz
Power Supply Output	7.5 VDC @ .8Amps	50-60 Hz
ENVIRONMENT	TEMPERATURE	HUMIDITY
Base	50-105 °F (10-40 °C)	0-100% RH
Power Supply	50-80 °F (10-27 °C)	0-75% RH



RCCS-2SC COMPATIBLE CULTURE VESSELS

CULTURE VESSEL MODEL	SIZE	COMPATIBILITY
Disposable HARV	10 mL	Yes
Disposable HARV	50mL	Yes
Autoclavable HARV	1 mL	Yes
Autoclavable HARV	2 mL	Yes
Autoclavable HARV	4 mL	Yes
Autoclavable HARV	10 mL	Yes
Autoclavable HARV	50 mL	No
Autoclavable STLV	55 mL	No
Autoclavable STLV	110 mL	No
Autoclavable STLV	250 mL	No
Autoclavable STLV	500 mL	No

Two Stem Cell Autoclavable HARVs are provided with the RCCS-2SC System. All other compatible vessel types are ordered separately. Visit www.synthecon.com for more details.



3D Culture Systems
for a 3D World